

AMENDMENTS TO THE SPECIFICATION

Please replace the paragraph at page 3, lines 16-26, with the following amended paragraph:

The graft or the block polymer is preferably obtained by reacting a fluorine containing compound with a silicone rubber having at least ~~een~~one amino group, wherein the fluorine containing compound is obtained by polymerizing a fluorine containing monomer with ~~the a~~ fluorine compound represented by the formula (1):



(wherein X^1 is an iodine atom or a bromine atom, R_f^1 is a bivalent fluorine containing alkylene group having 1 to 30 carbon atoms, which can contain an oxygen atom, and $R_f^1 - R^1$ is an alkyl group having 1 to 3 carbon atoms.)

Please replace the paragraph at page 4, line 23 to page 5, line 6 with the following amended paragraph:

An example of a process(A) is a process of preparing the graft or the block polymer is a process of reacting a fluorine containing compound having a fluorine containing elastomer segment, which is obtained by polymerizing (halogen transfer polymerization) a fluorine containing compound represented by the following formulas (1):



(wherein X^1 is an iodine atom or a bromine atom, R_f^1 is a bivalent fluorine containing alkylene group having 1 to 30 carbon atoms, which can contain an oxygen atom, and R^1-R^1 is an alkyl group having 1 to 3 carbon atoms),

Please replace the paragraph at page 5, lines 18-19 with the following amended paragraph:

R_f^1 is a bivalent fluorine containing alkylene group having 1 to 30 carbon atoms, which can contain an oxygen atom, examples thereof are:

Please replace the paragraph at page 19, lines 11-16 with the following amended paragraph:

As an water soluble radical polymerization initiator, a commonly known water soluble peroxide is usually used and examples are ammonium salts, potassium salt, and sodium salt such as ~~persulfate~~ persulfuric acid, perboric acid, perchloric acid, perphosphoric acid, and percarbonic acid, t-butylpermalate, and t-butylhydroperoxide.